HIV/AIDS Deaths

HIV/AIDS Deaths

•Most recent data (2014): 1.6 deaths per 100,000, including 36 deaths.

•Trend over time: 2000-14: falling

•Healthy People 2020 Goal: 3 per 100,000 or lower

HIV/AIDS deaths, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	1.5	1.3	1.7	32
AGE	-1	'		1
<18	0.0	0.0	0.2	0
18-24	0.0	0.0	0.4	0
25-44	1.1	0.8	1.5	7
15-64	4.1	3.3	4.9	22
55+	1.8	1.1	2.7	4
GENDER			-	
<i>N</i> ale	2.5	2.1	3.0	27
Female	0.5	0.3	0.7	5
RACE/ETHNICITY				
AIAN	6.4 §	2.6 §	18.6 §	1
Asian	0.3 §	0.1 §	0.9 §	1
Black	5.1	3.5	7.5	7
Hispanic	0.9 §	0.3 §	3.4 §	1
Multiple	*	*	*	*
NHPI	0.0	0.0	0.0	0
Vhite	1.4	1.1	1.6	23
NEIGHBORHOOD POVERTY				·
-ligh	4.0	3.0	5.4	10
Medium	1.4	1.1	1.7	19
.ow	0.4 §	0.2 §	0.7 §	2
REGION			,	·
East	0.4	0.2	0.7	2
North	1.2 §	0.6 §	2.5 §	2
Seattle	3.0	2.4	3.7	20
South	1.0	0.7	1.4	8
STATE				
Washington State	0.9	0.8	1.1	70

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

 $^{\Lambda}$ Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

HIV/AIDS deaths King County, 2010-2014 average



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 08/2016. ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poverty = Neighborhood poverty levels defined by median household income.

^{|-----|} Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.

HIV/AIDS deaths by health reporting areas, King County, 2010-2014 average

:	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	1.5	1.3	1.7	32
Auburn	2.0 §	0.8 §	4.4 §	1
Auburn-North	*	*	*	*
Auburn-South	*	*	*	*
Bear Creek/Carnation/Duvall	0.0	0.0	0.0	0
Bellevue	*	*	*	*
Bellevue-Central	0.0	0.0	0.0	0
Bellevue-NE	0.0	0.0	0.0	0
Bellevue-South	*	*	*	*
Bellewe-West	*	*	*	*
Black Diamond/Enumclaw/SE County	0.0	0.0	0.0	0
Bothell/Woodinville	*	*	*	*
Burien	3.3 §	1.4 §	6.7 §	2
Covington/Maple Valley	0.0	0.0	0.0	0
	v.0	*	*	*
Des Moines/Normandy Park	*	*	*	*
East Federal Way	*	*	*	*
Fairwood				
Federal Way	1.2 §	0.4 \$	3.0 §	1
Fed Way-Central/Military Rd	1.7 §	0.5 \$	4.2 §	1
Fed Way-Dash Point/Woodmont	*	*	*	*
Issaquah	0.0	0.0	0.0	0
Kenmore/LFP	*	*	*	*
Kent	*	*	*	*
Kent-East	*	*	*	*
Kent-SE	*	*	*	*
Kent-West	0.0	0.0	0.0	0
Kirkland	1.2 §	0.4 §	3.0 §	1
Kirkland	*	*	*	*
Kirkland North	*	*	*	*
Mercer Isle/Pt Cities	*	*	*	*
Newcastle/Four Creeks	*	*	*	*
North Highline	*	*	*	*
Redmond	0.0	0.0	0.0	0
Renton	*	*	*	*
Renton-East	0.0	0.0	0.0	0
Renton-North	*	*	*	*
Renton-South	0.0	0.0	0.0	0
Sammamish	*	*	*	*
SeaTac/Tukwila	1.8 §	0.6 §	5.1 §	1
Seattle	3.0	2.4	3.7	20
Ballard	*	*	*	*
Beacon/Gtown/S.Park	4.5 §	2.1 §	8.6 §	2
Capitol Hill/E.lake	5.5	2.8	11.2	3
Central Seattle	5.5	2.8	10.2	2
Delridge	*	*	*	*
Downtown	12.7	8.6	25.8	6
Fremont/Greenlake	2.4 §	0.7 §	7.1 §	1
.NE Seattle	2.4 3	0.7 s	*	*
North Seattle	2.3 §	0.7 §	6.1 §	1
NW Seattle	1.8 §	0.6 §	5.6 §	1
QA/Magnolia	*	*	*	*
SE Seattle	*	*	*	*
West Seattle	*	*	*	*
Shoreline	1.4 §	0.4 §	3.9 §	1
Snoqualmie/North Bend/Skykomish	*	*	*	*
Vashon Island	*	*	*	*

Comparisons:

Higher than King County rate (yellow)
Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


Cl is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

HIV/AIDS deaths by health reporting areas King County, 2010-2014 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

HIV/AIDS deaths King County, 2000-2014, three-year rolling averages



^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
Trends over time: King County (2000-14: falling); East KC (2000-03: flat; 2003-14: falling); North KC (2000-14: flat);
Seattle (2000-14: falling); South KC (2000-14: falling); Washington State (2000-14: falling)
Source: WA State DOH, Center for Health Statistics, Death Certificates.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Produced by the <u>Assessment, Policy Development & Evaluation Unit</u> <u>Public Health - Seattle & King County</u> 08/16

